

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

januar

dato	m3	forbrug	# 1	# 2
1-1-2019 16:10	433368	35	24	1,46
2-1-2019 15:50	433398	30	24	1,27
03-01-19 14:40	433427	29	23	1,27
04-01-19 16:10	433459	32	26	1,25
05-01-19 12:50	433483	24	21	1,16
06-01-19 16:40	433521	38	28	1,37
07-01-19 15:50	433549	28	23	1,21
08-01-19 14:20	433576	27	23	1,20
09-01-19 16:10	433610	34	26	1,32
10-01-19 15:50	433640	30	24	1,27
11-01-19 17:00	433673	33	25	1,31
12-01-19 17:30	433706	33	24	1,35
13-01-19 17:10	433735	29	24	1,23
14-01-19 16:30	433762	27	23	1,16
15-01-19 18:40	433794	32	26	1,22
16-01-19 16:00	433819	25	21	1,17
17-01-19 16:00	433848	29	24	1,21
18-01-19 12:30	433874	26	21	1,27
19-01-19 15:50	433910	36	27	1,32
20-01-19 15:00	433940	30	23	1,29
21-01-19 16:00	433971	31	25	1,24
22-01-19 15:50	433999	28	24	1,17
23-01-19 15:00	434026	27	23	1,17
24-01-19 14:20	434054	28	23	1,20
25-01-19 15:00	434083	29	25	1,18
26-01-19 13:20	434112	29	22	1,30
27-01-19 15:30	434148	36	26	1,38
28-01-19 16:00	434179	31	24	1,27
29-01-19 16:00	434210	31	24	1,29
30-01-19 17:10	434242	32	25	1,27
31-01-19 13:50	434267	25	21	1,21
	i alt	934		

beregnet værdig

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

febura

dato	m3	forbrug	# 1	# 2
01-02-19 17:30	434303	36	28	1,30
02-02-19 16:50	434338	35	23	1,50
03-02-19 16:40	434372	34	24	1,43
04-02-19 15:50	434399	27	23	1,17
05-02-19 15:50	434428	29	24	1,21
06-02-19 15:50	434458	30	24	1,25
07-02-19 16:20	434487	29	25	1,18
08-02-19 17:20	434523	36	25	1,44
09-02-19 17:20	434557	34	24	1,42
10-02-19 15:50	434589	32	23	1,42
11-02-19 16:10	434622	33	24	1,36
12-02-19 20:30	434663	41	28	1,45
13-02-19 18:30	434692	29	22	1,32
14-02-19 16:30	434718	26	22	1,18
15-02-19 17:40	434752	34	25	1,35
16-02-19 18:10	434786	34	25	1,39
17-02-19 17:10	434818	32	23	1,39
18-02-19 15:50	434848	30	23	1,32
19-02-19 15:50	434880	32	24	1,33
20-02-19 15:50	434910	30	24	1,25
21-02-19 15:50	434941	31	24	1,29
22-02-19 16:40	434973	32	25	1,29
23-02-19 16:40	435004	31	24	1,29
24-02-19 16:50	435038	34	24	1,41
25-02-19 15:20	435065	27	23	1,20
26-02-19 15:20	435095	30	24	1,25
27-02-19 16:00	435128	33	25	1,34
28-02-19 16:40	435157	29	25	1,18
	i alt	890		

#1 timer mellem aflæsninger

#2 M3 pr. time i forhold til #1

marts

dato	m3	forbrug	# 1	# 2
1-3-2019 17:30	435191	34	25	1,37
2-3-2019 19:10	435243	52	26	2,03
03-03-19 16:40	435287	44	22	2,05
04-03-19 15:50	435330	43	23	1,86
05-03-19 20:20	435384	54	29	1,89
06-03-19 15:50	435407	23	20	1,18
07-03-19 16:10	435434	27	24	1,11
08-03-19 19:00	435476	42	27	1,57
09-03-19 16:30	435509	33	22	1,53
10-03-19 13:30	435536	27	21	1,29
11-03-19 16:30	435572	36	27	1,33
12-03-19 15:50	435600	28	23	1,20
13-03-19 16:00	435635	35	24	1,45
14-03-19 15:50	435663	28	24	1,17
15-03-19 16:50	435694	31	25	1,24
16-03-19 16:30	435742	48	24	2,03
17-03-19 18:40	435780	38	26	1,45
18-03-19 15:15	435806	26	21	1,26
19-03-19 16:00	435841	35	25	1,41
20-03-19 15:50	435870	29	24	1,22
21-03-19 16:00	435900	30	24	1,24
22-03-19 11:50	435925	25	20	1,26
23-03-19 17:00	435972	47	29	1,61
24-03-19 19:00	436014	42	26	1,62
25-03-19 15:50	436039	25	21	1,20
26-03-19 14:50	436066	27	23	1,17
27-03-19 15:50	436096	30	25	1,20
28-03-19 15:50	436129	33	24	1,38
29-03-19 16:40	436163	34	25	1,37
30-03-19 20:40	436209	46	28	1,64
31-03-19 18:40	436237	28	22	1,27
	i alt	1080		

skyller vandrør på

vandværk

stopper skylning

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

april

dato	m3	forbrug	# 1	# 2
01-04-19 14:50	436261	24	20	1,19
02-04-19 15:50	436295	34	25	1,36
03-04-19 15:50	436324	29	24	1,21
04-04-19 15:50	436355	31	24	1,29
05-04-19 13:50	436385	30	22	1,36
06-04-19 17:50	436428	43	28	1,54
07-04-19 17:50	436470	42	24	1,75
08-04-19 15:50	436509	39	22	1,77
09-04-19 15:50	436539	30	24	1,25
10-04-19 16:00	436571	32	24	1,32
11-04-19 18:50	436609	38	27	1,42
12-04-19 16:20	436633	24	22	1,12
13-04-19 17:50	436679	46	26	1,80
14-04-19 19:40	436717	38	26	1,47
15-04-19 17:10	436744	27	22	1,26
16-04-19 17:30	436778	34	24	1,40
17-04-19 16:40	436815	37	23	1,60
18-04-19 21:20	436867	52	29	1,81
19-04-19 19:20	436908	41	22	1,86
20-04-19 17:20	436946	38	22	1,73
21-04-19 21:00	436998	52	28	1,88
22-04-19 19:00	437041	43	22	1,95
23-04-19 15:30	437070	29	21	1,41
24-04-19 15:20	437102	32	24	1,34
25-04-19 15:50	437136	34	24	1,39
26-04-19 19:20	437193	57	28	2,07
27-04-19 19:40	437239	46	24	1,89
28-04-19 18:50	437275	36	23	1,55
29-04-19 18:30	437315	40	24	1,69
29-04-19 20:00	1	1	2	0,67
30-04-19 16:00	35	34		
	i alt	1113		

måler skifte

ny hoved vandmåler

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

maj

dato	m3	forbrug	# 1	# 2
1-5-2019 16:50	72	71	45	1,58
2-5-2019 15:50	99	27	23	1,17
03-05-19 14:40	125	26	23	1,14
04-05-19 15:10	160	35	25	1,43
05-05-19 18:30	211	51	27	1,87
06-05-19 16:00	238	27	21	1,26
07-05-19 15:50	275	37	24	1,55
08-05-19 15:50	311	36	24	1,50
09-05-19 16:40	350	39	25	1,57
10-05-19 06:10	384	34	14	2,52
11-05-19 16:40	429	45	35	1,30
12-05-19 15:30	462	33	23	1,45
13-05-19 15:50	497	35	24	1,44
14-05-19 15:50	542	45	24	1,88
15-05-19 15:50	597	55	24	2,29
16-05-19 15:50	641	44	24	1,83
17-05-19 23:30	686	45	32	1,42
18-05-19 17:20	720	34	18	1,91
19-05-19 18:00	759	39	25	1,58
20-05-19 16:00	802	43	22	1,95
21-05-19 17:20	846	44	25	1,74
22-05-19 15:50	879	33	23	1,47
23-05-19 16:10	917	38	24	1,56
24-05-19 12:30	954	37	20	1,82
25-05-19 17:50	998	44	29	1,50
26-05-19 15:00	1026	28	21	1,32
27-05-19 16:10	1057	31	25	1,23
28-05-19 15:50	1088	31	24	1,31
29-05-19 15:20	1127	39	24	1,66
30-05-19 17:30	1171	44	26	1,68
31-05-19 17:00	1203	32	24	1,36
	i alt	1202		

Kaj West køber vand

af kippinge vandværk

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

juni

dato	m3	forbrug	# 1	# 2
1-6-2019 19:20	1247	44	26	1,67
2-6-2019 19:40	1288	41	24	1,68
03-06-19 16:00	1319	31	20	1,52
04-06-19 15:50	1361	42	24	1,76
05-06-19 12:00	1416	55	20	2,73
06-06-19 18:40	1469	53	31	1,73
07-06-19 12:20	1489	20	18	1,13
08-06-19 16:00	1530	41	28	1,48
09-06-19 18:40	1571	41	27	1,54
10-06-19 17:00	1608	37	22	1,66
11-06-19 16:00	1647	39	23	1,70
12-06-19 13:50	1681	34	22	1,56
13-06-19 16:00	1713	32	26	1,22
14-06-19 12:20	1741	28	20	1,38
15-06-19 16:30	1786	45	28	1,60
16-06-19 17:20	1827	41	25	1,65
17-06-19 14:50	1862	35	22	1,63
18-06-19 15:50	1916	54	25	2,16
19-06-19 15:20	1966	50	24	2,13
20-06-19 15:50	2006	40	24	1,63
21-06-19 11:50	2037	31	20	1,55
22-06-19 16:10	2082	45	28	1,59
23-06-19 12:50	2116	34	21	1,65
24-06-19 15:50	2163	47	27	1,74
25-06-19 15:10	2201	38	23	1,63
26-06-19 13:20	2266	65	22	2,93
27-06-19 16:00	2316	50	27	1,88
28-06-19 12:10	2354	38	20	1,88
29-06-19 11:40	2413	59	23	2,51
30-06-19 16:30	2480	67	29	2,32
	i alt	1277		

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

juli

dato	m3	forbrug	# 1	# 2
01-07-19 04:00	2518	38	11	3,30
02-07-19 15:50	2558	40	36	1,12
03-07-19 15:50	2598	40	24	1,67
04-07-19 15:50	2637	39	24	1,63
05-07-19 12:20	2665	28	21	1,37
06-07-19 11:10	2703	38	23	1,66
07-07-19 19:40	2755	52	32	1,60
08-07-19 14:40	2781	26	19	1,37
09-07-19 15:10	2825	44	25	1,80
10-07-19 15:50	2868	43	25	1,74
11-07-19 15:50	2913	45	24	1,88
12-07-19 14:40	2951	38	23	1,66
13-07-19 16:30	2999	48	26	1,86
14-07-19 13:40	3034	35	21	1,65
15-07-19 15:50	3082	48	26	1,83
16-07-19 16:10	3130	48	24	1,97
17-07-19 15:50	3170	40	24	1,69
18-07-19 16:10	3211	41	24	1,68
19-07-19 13:10	3246	35	21	1,67
20-07-19 16:10	3292	46	27	1,70
21-07-19 18:00	3331	39	26	1,51
22-07-19 16:50	3364	33	23	1,45
23-07-19 12:30	3391	27	20	1,37
24-07-19 14:00	3438	47	26	1,84
25-07-19 21:30	3506	68	32	2,16
26-07-19 20:40	3551	45	23	1,94
27-07-19 20:10	3593	42	24	1,79
28-07-19 21:40	3640	47	26	1,84
29-07-19 22:10	3685	45	24	1,84
30-07-19 21:10	3721	36	23	1,57
31-07-19 15:50	3747	26	19	1,39
	i alt	1267		

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

august

dato	m3	forbrug	#1	#2
01-08-19 15:00	3775	28	23	1,21
02-08-19 19:40	3819	44	29	1,53
03-08-19 19:00	3858	39	23	1,67
04-08-19 19:40	3900	42	25	1,70
05-08-19 16:30	3929	29	21	1,39
06-08-19 18:00	3964	35	26	1,37
07-08-19 14:40	3993	29	21	1,40
08-08-19 16:10	4031	38	26	1,49
09-08-19 16:20	4072	41	24	1,70
10-08-19 17:10	4110	38	25	1,53
11-08-19 17:40	4150	40	24	1,63
12-08-19 15:50	4186	36	22	1,62
13-08-19 15:00	4217	31	23	1,34
14-08-19 14:50	4245	28	24	1,17
15-08-19 15:50	4279	34	25	1,36
16-08-19 12:30	4307	28	21	1,35
17-08-19 15:30	4345	38	27	1,41
18-08-19 14:00	4380	35	23	1,56
19-08-19 15:50	4417	37	26	1,43
20-08-19 14:40	4446	29	23	1,27
21-08-19 15:20	4483	37	25	1,50
22-08-19 15:50	4522	39	24	1,59
23-08-19 17:20	4564	42	26	1,65
24-08-19 16:10	4611	47	23	2,06
25-08-19 17:50	4657	46	26	1,79
26-08-19 19:50	4701	44	26	1,69
27-08-19 19:30	4736	35	24	1,48
28-08-19 17:30	4770	34	22	1,55
29-08-19 19:20	4807	37	26	1,43
30-08-19 21:00	4854	47	26	1,83
31-08-19 20:50	4896	42	24	1,76
	i alt	1149	M3	

#1 timer mellem aflæsninger
 #2 M3 pr. time i forhold til #1

september

dato	m3	forbrug	# 1	# 2
01-09-19 18:50	4936	40	22	1,82
02-09-19 15:20	4960	24	21	1,17
03-09-19 15:30	4976	16	24	0,66
04-09-19 16:10	4978	2	25	0,08
05-09-19 15:10	4979	1	23	0,04
06-09-19 14:20	4980	1	23	0,04
07-09-19 15:10	4982	2	25	0,08
08-09-19 15:00	4983	1	24	0,04
09-09-19 15:50	5007	24	25	0,97
10-09-19 15:00	5037	30	23	1,29
11-09-19 14:50	5069	32	24	1,34
12-09-19 14:40	5104	35	24	1,47
13-09-19 12:20	5135	31	22	1,43
14-09-19 17:40	5186	51	29	1,74
15-09-19 16:00	5219	33	22	1,48
16-09-19 15:50	5253	34	24	1,43
17-09-19 15:50	5285	32	24	1,33
18-09-19 15:30	5316	31	24	1,31
19-09-19 16:00	5350	34	24	1,39
20-09-19 17:00	5387	37	25	1,48
21-09-19 13:30	5414	27	20	1,32
22-09-19 15:00	5450	36	26	1,41
23-09-19 15:10	5486	36	24	1,49
24-09-19 16:40	5519	33	26	1,29
25-09-19 15:50	5551	32	23	1,38
26-09-19 16:10	5584	33	24	1,36
27-09-19 15:00	5611	27	23	1,18
28-09-19 17:30	5651	40	26	1,51
29-09-19 15:40	5683	32	22	1,44
30-09-19 16:00	5715	32	24	1,32
	i alt	819		

køber vand kl 20.45 pga. reovering af
 boring

vandværk kører igen kl 20.30 lukker for
 vand fra kippinge

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

oktober

dato	m3	forbrug	#1	#2
01-10-19 15:30	5745	30	24	1,28
02-10-19 16:00	5776	31	24	1,27
03-10-19 15:50	5805	29	24	1,22
04-10-19 15:20	5840	35	24	1,49
05-10-19 17:40	5879	39	26	1,48
06-10-19 17:10	5916	37	24	1,57
07-10-19 18:10	5950	34	25	1,36
08-10-19 15:50	5976	26	22	1,20
09-10-19 18:10	6012	36	26	1,37
10-10-19 15:50	6039	27	22	1,25
11-10-19 17:30	6084	45	26	1,75
12-10-19 16:40	6123	39	23	1,68
13-10-19 16:50	6163	40	24	1,66
14-10-19 19:20	6210	47	26	1,77
15-10-19 20:20	6255	45	25	1,80
16-10-19 15:30	6281	26	19	1,36
17-10-19 18:30	6320	39	27	1,44
18-10-19 15:20	6347	27	21	1,30
19-10-19 18:10	6391	44	27	1,64
20-10-19 16:20	6424	33	22	1,49
21-10-19 15:50	6458	34	23	1,45
22-10-19 14:40	6488	30	23	1,31
23-10-19 15:10	6520	32	25	1,31
24-10-19 15:50	6554	34	25	1,38
25-10-19 11:30	6580	26	20	1,32
26-10-19 15:20	6624	44	28	1,58
27-10-19 16:20	6665	41	25	1,64
28-10-19 15:50	6699	34	23	1,45
29-10-19 16:00	6729	30	24	1,24
30-10-19 15:50	6761	32	24	1,34
31-10-19 15:50	6794	33	24	1,38
	i alt	1079	M3	

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

november

dato	m3	forbrug	# 1	# 2
01-11-19 11:10	6828	34	19	1,76
02-11-19 16:20	6869	41	29	1,41
03-11-19 16:40	6902	33	24	1,36
04-11-19 15:20	6927	25	23	1,10
05-11-19 15:50	6954	27	24	1,10
06-11-19 17:00	6982	28	25	1,11
07-11-19 16:00	7008	26	23	1,13
08-11-19 13:20	7031	23	21	1,08
09-11-19 16:10	7067	36	27	1,34
10-11-19 16:00	7097	30	24	1,26
11-11-19 15:50	7126	29	24	1,22
12-11-19 15:50	7155	29	24	1,21
13-11-19 16:00	7184	29	24	1,20
14-11-19 16:00	7215	31	24	1,29
15-11-19 12:40	7238	23	21	1,11
16-11-19 13:50	7273	35	25	1,39
17-11-19 17:30	7310	37	28	1,34
18-11-19 15:50	7342	32	22	1,43
19-11-19 16:00	7373	31	24	1,28
20-11-19 15:50	7401	28	24	1,17
21-11-19 15:50	7430	29	24	1,21
22-11-19 12:20	7454	24	21	1,17
23-11-19 16:20	7492	38	28	1,36
24-11-19 16:50	7528	36	25	1,47
25-11-19 16:00	7557	29	23	1,25
26-11-19 15:50	7567	10	24	0,42
27-11-19 16:00	7595	28	24	1,16
28-11-19 16:00	7628	33	24	1,38
29-11-19 12:30	7648	20	21	0,98
30-11-19 13:40	7679	31	25	1,23
	i alt	885		

køber vand af kippinge kl 20.31

vandværk i drift kl 16.00

#1 timer mellem aflæsninger
#2 M3 pr. time i forhold til #1

december

dato	m3	forbrug	# 1	# 2
01-12-19 17:00	7715	36	27	1,32
02-12-19 15:50	7743	28	23	1,23
03-12-19 15:50	7769	26	24	1,08
04-12-19 15:50	7798	29	24	1,21
05-12-19 14:20	7823	25	23	1,11
06-12-19 11:50	7846	23	22	1,07
07-12-19 16:10	7881	35	28	1,24
08-12-19 12:20	7903	22	20	1,09
09-12-19 15:50	7939	36	27	1,31
10-12-19 15:50	7968	29	24	1,21
11-12-19 15:50	7997	29	24	1,21
12-12-19 15:50	8028	31	24	1,29
13-12-19 12:30	8068	40	21	1,94
14-12-19 17:30	8129	61	29	2,10
15-12-19 12:20	8161	32	19	1,70
16-12-19 16:00	8221	60	28	2,17
17-12-19 15:50	8266	45	24	1,89
18-12-19 19:10	8324	58	27	2,12
19-12-19 19:20	8373	49	24	2,03
20-12-19 16:20	8421	48	21	2,29
21-12-19 15:50	8479	58	23	2,47
22-12-19 19:40	8555	76	28	2,73
23-12-19 16:30	8614	59	21	2,83
24-12-19 14:30	8676	62	22	2,82
25-12-19 16:50	8751	75	26	2,85
26-12-19 16:40	8814	63	24	2,64
27-12-19 19:10	8883	69	26	2,60
28-12-19 17:00	8942	59	22	2,70
29-12-19 16:20	9001	59	23	2,53
30-12-19 16:20	9064	63	24	2,63
31-12-19 13:30	9109	45	21	2,13
	i alt	1430		

sundby køber vand

sundby køber stadig vand